

## CERTIFICATE OF CONFORMANCE

### ANSI/NACE MR0175 / ISO 15156:2015 STANDARD

**Postal**  
180 Dexter Avenue  
Watertown, MA  
02472-4200  
USA

**Telephone**  
617-926-1000

**Web Address**  
www.ueonline.com

#### Description of Standard

The ANSI/NACE MR0175/ISO 15156:2015 standard provides guidelines for the selection of wetted metallic materials used in hydrogen sulfide (H<sub>2</sub>S) containing environments. Metallic materials selected using the NACE MR0175 standard are resistant to cracking in defined H<sub>2</sub>S-containing environments commonly present in oil and gas production.

*As defined in the ANSI/NACE MR0175/ISO 15156:2015 standard, it is the end user's responsibility to ensure materials are suitable for their application.*

#### Summary of Models

When ordered with the NACE MR0175 option (M401), the following UE pressure switch models contain wetted metallic materials that comply with the ANSI/NACE MR0175/ISO 15156-3:2015, Annex A2.2, Table A.6 (Environmental and material limits for austenitic stainless steels used in compressors and instrumentation and control devices).

PRODUCT TYPE	PRESSURE MODELS
12	2A-F*, 3A-H, 4A-H, 5A-H, 6A-H, 7A-D, 8A-G, 9A-C, P0-P9
H100	171-174, 183-186, 188-189, 190-193*, 483-486, 488-489, 490-493*
H117	171-174, 183-186, 188-189, 190-193*, 483-486, 488-489, 490-493*
J120	171-174, 183-186, 188-189, 190-193*, 483-486, 488-489, 490-493*

*\*Deadband, repeatability and/or overpressure limits will be affected for models 2A-F, 190-193 and 490-493. Please consult factory for details.*

Please contact our inside sales department at [insidesales@ueonline.com](mailto:insidesales@ueonline.com) or +1 617 923 6977 if further clarification is required.

Thank you.

***Brenda Ripley***

Brenda Ripley  
Director of Quality Assurance  
United Electric Controls

