



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

सुरक्षा पोस्ट
SECURITY POST



E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/5898 (P417586)

Dated : 11/05/2018

To,

M/s. United Electric Controls,
180 Dexter Avenue, Watertown, MA
02471
U.S.A

16 MAY 2018

Sub : Approval of Intrinsically Safe, Flame Proof Type Pressure & Temperature Switches under Petroleum Rules 2002- Regarding.

Sir
(s).

Please refer to your letter No. **PC/0423/2017-18** dated **23/04/2018** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0 : 2012/A11:2013, EN 60079-11 : 2012, EN 60079-26 : 2007,** standards and covered under **UL International Demko A/s** Test report is/are approved for use in **Zone 1, Zone 2** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Intrinsically Safe Pressure or Temperature Switches	Exia IIC T6 Ga	P417586/1	UL International Demko A/s	DEMKO 11ATEX 1105261X Rev 2	14/06/2016	B-13807
2	One Series Electronic Pressure and Temperature Switches	Exia IIC T4 Ga	P417586/2	UL International Demko A/s	DEMKO 09ATEX 0813748X Rev 7	26/05/2017	A14012,13,15,16,17,21,22,23,24,25,34,35,36, Sheet 1-2
3	One Series Electronic Pressure and Temperature Switches	Exdb IIC T3/T5 Gb	P417586/3	UL International Demko A/s	DEMKO 09ATEX 0813748X Rev 7	26/05/2017	A14012,13,15,16,17 Sheet sheet 1-2 Greece

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the UL International Demko A/s Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified
 - (c) Number & date of the test report of the UL International Demko A/s applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the UL International Demko A/s Test report and is identical with the one tested and certified at UL International Demko A/s shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by UL International Demko A/s in their test reports and copy of instructions booklet detailing operation &

maintenance of the equipment so as to maintain its Flame Proof characteristics.

6) The After sales service and maintenance of subject equipment shall be looked after by your representative POTENCE, CONTROLS PVT. LTD., E-34, Kailas Vaibhav Industrial Complex, D. P. Road, Park Site, Vikhroli - West, Mumbai - 400079

Conditions of the Approval:-

The approval for above equipments is subject to validity of production quality assessment notification No. 09 ATEX Q135034 Rev 3

This approval also covers the permissible variations as approved under the UL International Demko A/s test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2022**



Yours faithfully,

Ninad
(Ninad Dattaram Gawade)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI

2. POTENCE CONTROLS PVT. LTD., E-34, Kailas Vaibhav Industrial Complex, D. P. Road, Park Site, Vikhroli - West, Mumbai - 400079

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.